L Number	Hits	Search Text	DB	Time stamp
1	52	(flexible near4 (circuit or wiring or cable)) same amplif\$3 same	USPAT;	2002/11/19 09:12
2		optic\$2	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
	1008	(optic\$2 and transceiver).ti.	USPAT;	2002/11/19 09:58
-	1000	(opticus and danscerver).d.	US-PGPUB;	2002 11710 00100
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
3	29	((optic\$2 and transceiver).ti.) and flexible	USPAT;	2002/11/19 09:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	5574944 nn. and hoet	IBM_TDB	2002/11/19 09:48
5	0	5574814.pn. and heat	USPAT; US-PGPUB:	2002/11/19 09.40
1			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
6	0	5574814.pn. and heatsink	USPAT:	2002/11/19 09:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	2	5574814.pn.	USPAT;	2002/11/19 09:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
7	5	 ("4737008" "5138679" "5199093" "5212754" "5325455").PN.	IBM_TDB USPAT	2002/11/19 09:49
8	5 11	(4737006 3136679 3199093 3212734 3323433 J.PN. 5574814.URPN.	USPAT	2002/11/19 09:49
9	34	((optic\$2 and transceiver).ti.) and (heatsink or (heat))	USPAT;	2002/11/19 09:55
~	04	((option2 and transcorver), and (notioning or (notif)	US-PGPUB;	2502,117,10 50100
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	1869	(optic\$2 and transceiver).ab.	USPAT;	2002/11/19 09:58
			US-PGPUB;	
44			EPO; JPO;	
			DERWENT;	
	00	(/outiness and transport year) and (hootsink on boot)	IBM_TDB USPAT;	2002/11/19 09:58
11	90	((optic\$2 and transceiver).ab.) and (heatsink or heat)	US-PGPUB;	2002/11/19 09.50
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
12	69	(((optic\$2 and transceiver).ab.) and (heatsink or heat)) not	USPAT;	2002/11/19 10:04
		(((optic\$2 and transceiver).ti.) and (heatsink or (heat)))	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	. = .		IBM_TDB	
13	124	optoelectronic\$1 near5 (heatsink or heat)	USPAT;	2002/11/19 10:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
14	15	("5259054" "5414787" "5416870" "5416872" "5420954"	IBM_TDB USPAT	2002/11/19 10:08
	13	"5428704" "5432630" "5446814" "5452387" "5499311"	JOSEAN	2002/11/19 10:00
		"5499312" "5515467" "5539848" "5570444" "5625734").PN.		
15	17	5774614.URPN.	USPAT	2002/11/19 10:10
16	0	5574814.pn. and thermal	USPAT;	2002/11/19 11:25
		'	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	1

17	1791	vcsel	USPAT;	2002/11/19 11:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		1 14 1 100	IBM_TDB	2002/44/40 44:26
18	888	vcsel and (transceiver\$1 or trasnmit\$3 or receiv\$3)	USPAT;	2002/11/19 11:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		() () () () () () () () () ()	IBM_TDB	00004440 44.07
19	247		USPAT;	2002/11/19 11:27
		optoelectr\$4	US-PGPUB; EPO; JPO;	
			DERWENT;	
1			IBM TDB	
20	87	((vcsel and (transceiver\$1 or trasnmit\$3 or receiv\$3)) and	USPAT;	2002/11/19 11:55
20	01	optoelectr\$4) and (heatsink\$1 or heat)	US-PGPUB;	2002/11/19 11.00
		optoelection and (neatsling) of heat	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
21	2	5727097.pn.	USPAT;	2002/11/19 11:56
- 1	"	oreroor.pn.	US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
22	2	5845028.pn.	USPAT;	2002/11/19 11:57
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
23	7	(transceiver and optic\$ and dual).ti.	USPAT;	2002/11/19 12:02
			US-PGPUB;	
	,		EPO; JPO;	
			DERWENT;	
		l	IBM_TDB	
24	36	(transceiver and optic\$ and connector).ti.	USPAT;	2002/11/19 12:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	,
0.5		//hannanian and antich and compates) ti \ and /hantaink@d or	IBM_TDB	2002/11/19 12:06
25	0	((transceiver and optic\$ and connector).ti.) and (heatsink\$1 or	USPAT; US-PGPUB;	2002/11/19 12:06
		heat)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
26	3596	transceiver\$ and (heatsink\$ or heat or thermo\$)	USPAT;	2002/11/19 12:10
20	3330	Tantocorvory and modeline of float of theilitoy)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
27	59457	transceiver\$	USPAT;	2002/11/19 12:10
			US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
28	2720	transceiver\$ and (heatsink or heat)	USPAT;	2002/11/19 12:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
29	1299	(transceiver\$ and (heatsink or heat)) and optic\$2	USPAT;	2002/11/19 12:10
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	

	30	89	((transceiver\$ and (heatsink or heat)) and optic\$2) and optoelectron\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT:	2002/11/19 12:12
--	----	----	---	--	------------------